


Knee Anatomy

Introduction



Welcome to BodyZone Physiotherapy's patient resource about Knee problems.

To better understand how knee problems occur, it is important to understand some of the anatomy of the knee jo the parts of the knee work together to maintain normal function.

First, we will define some common anatomic terms as they relate to the knee. This will make it clearer as we talk structures later.


Many parts of the body have duplicates. So it is common to describe parts of the body using terms that define when the body using terms that define the body using the bo

is in relation to an imaginary line drawn through the middle of the body. For example, medial means closer to the So the medial side of the knee is the side that is closest to the other knee. The lateral side of the knee is the side that from the other knee. Structures on the medial side usually have medial as part of their name, such as the medial of the term anterior refers to the front of the knee, while the term posterior refers to the back of the knee. So the an cruciate ligament is in front of the posterior cruciate ligament.

This article will help you understand:

- · what parts make up the knee
- how the parts of the knee work

Important Structures



The important parts of the knee include:

- bones and joints
- ligaments and tendons
- muscles
- nerves
- blood vessels


Bones and Joints

The knee is the meeting place of two important bones in the leg, the *femur* (the thighbone) and the *tibia* (the shin *patella* (or *kneecap*, as it is commonly called) is made of bone and sits in front of the knee.

The knee joint is a *synovial joint*. Synovial joints are enclosed by a ligament capsule and contain a fluid, called *synothial*, that lubricates the joint.


The end of the femur joins the top of the tibia to create the knee joint. Two round knobs called *femoral condyles* on the end of the femur. These condyles rest on the top surface of the tibia. This surface is called the *tibial platea* outside half (farthest away from the other knee) is called the *lateral tibial plateau*, and the inside half (closest to knee) is called the *medial tibial plateau*. The patella glides through a special groove formed by the two femoral called the *patellofemoral groove*.

The smaller bone of the lower leg, the *fibula*, never really enters the knee joint. It does have a small joint that couthe side of the tibia. This joint normally moves very little.



Articular cartilage is the material that covers the ends of the bones of any joint. This material is about one-quarter thick in most large joints. It is white and shiny with a rubbery consistency. Articular cartilage is a slippery substated allows the surfaces to slide against one another without damage to either surface. The function of articular cartilage absorb shock and provide an extremely smooth surface to facilitate motion. We have articular cartilage essential everywhere that two bony surfaces move against one another, or *articulate*. In the knee, articular cartilage covers the femur, the top of the tibia, and the back of the patella.


Articular Cartilage



Ligaments and Tendons


Ligaments are tough bands of tissue that connect the ends of bones together. Two important ligaments are found side of the knee joint. They are the *medial collateral ligament* (MCL) and the *lateral collateral ligament* (LCL).

Ligaments



Inside the knee joint, two other important ligaments stretch between the femur and the tibia: the *anterior cruciate* (ACL) in front, and the *posterior cruciate ligament* (PCL) in back.

Other Important Ligaments




The MCL and LCL prevent the knee from moving too far in the side-to-side direction. The ACL and PCL control to-back motion of the knee joint.



The ACL keeps the tibia from sliding too far forward in relation to the femur. The PCL keeps the tibia from sliding backward in relation to the femur. Working together, the two cruciate ligaments control the back-and-forth motion knee. The ligaments, all taken together, are the most important structures controlling stability of the knee.


Two special types of ligaments called menisci sit between the femur and the tibia. These structures are sometime as the *cartilage* of the knee, but the menisci differ from the articular cartilage that covers the surface of the joint.

Menisci




The two menisci of the knee are important for two reasons: (1) they work like a gasket to spread the force from the body over a larger area, and (2) they help the ligaments with stability of the knee.

Imagine the knee as a ball resting on a flat plate. The ball is the end of the thighbone as it enters the joint, and the top of the shinbone. The menisci actually wrap around the round end of the upper bone to fill the space between flat shinbone.




The menisci act like a gasket, helping to distribute the weight from the femur to the tibia.



Without the menisci, any weight on the femur will be concentrated to one point on the tibia. But with the menisci

spread out across the tibial surface. Weight distribution by the menisci is important because it protects the articular on the ends of the bones from excessive forces. Without the menisci, the concentration of force into a small area articular cartilage can damage the surface, leading to degeneration over time.

In addition to protecting the articular cartilage, the menisci help the ligaments with stability of the knee. The menisci help the knee joint more stable by acting like a wedge set against the bottom of a car tire. The menisci are thicker around outside, and this thickness helps keep the round femur from rolling on the flat tibia. The menisci convert the tibia into a shallow socket. A socket is more stable and more efficient at transmitting the weight from the upper body ball on a flat plate. The menisci enhance the stability of the knee and protect the articular cartilage from excessive concentration of force.



Taken all together, the ligaments of the knee are the most important structures that stabilize the joint. Remember connect bones to bones. Without strong, tight ligaments to connect the femur to the tibia, the knee joint would be Unlike other joints in the body, the knee joint lacks a stable bony configuration. The hip joint, for example, is a binside a deep socket. The ankle joint has a shape similar to a mortise and tenon, a way of joining wood used by conturies.

Tendons are similar to ligaments, except that tendons attach muscles to bones. The largest tendon around the kne *patellar tendon*. This tendon connects the patella (kneecap) to the tibia. This tendon covers the patella and continuingh.

There it is called the *quadriceps tendon* since it attaches to the quadriceps muscles in the front of the thigh. The *muscles* on the back of the leg also have tendons that attach in different places around the knee joint. These tendosometimes used as tendon grafts to replace torn ligaments in the knee.

Muscles

The *extensor mechanism* is the motor that drives the knee joint and allows us to walk. It sits in front of the knee made up of the patella, the patellar tendon, the quadriceps tendon, and the *quadriceps muscles*. The four quadrice in front of the thigh are the muscles that attach to the quadriceps tendon. When these muscles contract, they straik knee joint, such as when you get up from a squatting position.



The way in which the kneecap fits into the patellofemoral groove on the front of the femur and slides as the knee affect the overall function of the knee. The patella works like a fulcrum, increasing the force exerted by the quadruscles as the knee straightens. When the quadriceps muscles contract, the knee straightens.

The hamstring muscles are the muscles in the back of the knee and thigh. When these muscles contract, the knee

Nerves

The most important nerve around the knee is the *popliteal nerve* in the back of the knee. This large nerve travels leg and foot, supplying sensation and muscle control. The nerve splits just above the knee to form the *tibial nerv peroneal nerve*. The tibial nerve continues down the back of the leg while the peroneal nerve travels around the

the knee and down the front of the leg to the foot. Both of these nerves can be damaged by injuries around the kn

Blood Vessels

The major blood vessels around the knee travel with the popliteal nerve down the back of the leg. The *popliteal of popliteal vein* are the largest blood supply to the leg and foot. If the popliteal artery is damaged beyond repair, it likely the leg will not be able to survive. The popliteal artery carries blood to the leg and foot. The popliteal vein blood back to the heart.

Summary

The knee has a somewhat unstable design. Yet it must support the body's full weight when standing, and much n that during walking or running. So it's not surprising that knee problems are a fairly common complaint among pages. Understanding the basic parts of the knee can help you better understand what happens when knee problems